

**Benchmark****BMG745**

## CUT D HIGH STRENGTH NYLON / PU GLOVE

A dexterous high cut resistance glove, glass and steel fibre free. Ideal in dry or greasy conditions.

### FEATURES

- › Cut resistance: Level D (EN 388:2016)
- › A flexible and comfortable glove offering great dexterity
- › Glass and steel fibre free reduce risks of irritation
- › Durable polyurethane palm coating ensures good protection against abrasion
- › Flexible, close-fitting design for a comfortable wearing experience
- › Breathable back of hand to reduce perspiration
- › Seamless knit prevents irritation
- › Elasticated wrist provides a secure fit



### SUITABLE FOR

#### Typical Industries

- Aerospace
- Engineering
- Automotive
- Logistics
- Construction
- Manufacturing

#### Suitable Applications

- Assembly
- Handling sharp parts
- Maintenance
- Goods handling

### CERTIFICATION



See overleaf for explanation

**Benchmark****BMG745****PRODUCT INFORMATION**

<b>MATERIALS</b>	LINER:	13 gauge high strength nylon
	COATING:	Polyurethane
<b>COLOUR</b>	Grey/Black	
<b>LENGTH (mm)</b>	250 (Size Dependent)	
<b>CUFF STYLE</b>	Elasticated knit wrist	

**RECOMMENDATIONS FOR USE**


- **USE:** General handling glove with cut protection. Not suitable for thermal, electrical and chemical protection. Do not use near moving machines if there is a risk of entanglement
- **STORAGE:** Store in dry conditions in the original packaging and away from direct sunlight
- **CLEANING:** To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- **LIFETIME:** Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use.

**ORDERING DETAILS**

SIZE	CODE	PACKAGING
6/XS	BMG00745FB	10 pairs per bag 120 pairs per case
7/S	BMG00745FD	
8/M	BMG00745FF	
9/L	BMG00745FH	
10/XL	BMG00745FJ	
11/XXL	BMG00745FL	

**CERTIFICATION LEGENDS**

MECHANICAL HAZARDS EN 388:2016  
PERFORMANCE LEVELS\*



\*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter